

DOI: 10.22616/foodbalt.2017.041

- cultivars grown in Serbia. *Industrial Crops and Products*, Vol. 87, p. 304–314.
19. Re R., Pellegrini N., Proteggente A., Pannala A., Yang M., Rice-Evans C. (1999) Antioxidant activity applying an improved ABTS radical cation decolorization assay. *Free Radical Biology and Medicine*, Vol. 26 (9), p. 1231–1237.
20. Salević A., Kalušević A., Nedović V. (2016) Influence of extraction conditions on bioactive profile of raspberry leaves. **In:** *The 3rd International Congress „Food Technology, Quality and Safety”* Congress Proceeding, Serbia, Novi Sad, p. 106–112.
21. Sharma O.P., Bhat T.K. (2009) DPPH antioxidant assay revisited. *Food Chemistry*, Vol. 113 (4), p. 1202–1205.
22. Singleton V.L., Rossi J.A. (1965) Colorimetry of total phenolics with phosphomolybdic-phosphotungstic acid reagents. *American Journal of Enology and Viticulture*, Vol. 16 (3), p. 144–158.
23. Tabart J., Kevers C., Pincemail J., Defraigne J.O., Dommes J. (2009) Comparative antioxidant capacities of phenolic compounds measured by various tests. *Food Chemistry*, Vol. 113 (4), p. 1226–1233.
24. Veljović M., Kalušević A., Salević A., Stamenković-Đoković M., Vukosavljević P., Bugarski B., Nedović V. (2015) Optimization of herbs extraction for soft drink production. **In:** *The 6th International Scientific Agricultural Symposium “Agrosym 2015”* Book of Proceedings, Bosnia and Herzegovina, Jahorina, p. 478–483.
25. Wang S.Y., Lin H.S. (2000) Antioxidant activity in fruits and leaves of blackberry, raspberry, and strawberry varies with cultivar and developmental stage. *Journal of Agricultural and Food Chemistry*, Vol. 48 (2), p. 140–146.
26. Zhishen J., Mengcheng T., Jianming W. (1999) The determination of flavonoid contents in mulberry and their scavenging effects on superoxide radicals. *Food Chemistry*, Vol. 64 (4), p. 555–559.